

Author Index

Accili, D., see Levy-Toledano, R. (1220) 1
 Adessi, G.L., see Nicollier, M. (1220) 125
 Allard, J., Lennon, D.P.W., Greenwood, M.R., Buckenham, A.J. and Hawthorne, J.N.
 Reduced sodium pump activity in inositol-deficient HL-60 cells: no evidence of control by protein kinase C (1220) 66
 Anel, A., see Uriel, J. (1220) 231
 Arias-Salgado, M.J., see Urcelay, E. (1220) 49
 Auchampach, J.A., see Hillard, C.J. (1220) 163
 Ayaki, M., see Hashimoto, C. (1220) 107
 Ayuso, M.S., see Urcelay, E. (1220) 49

Banting, G., see Thomas, S. (1220) 219
 Barisas, B.G., see Kenny, N. (1220) 94
 Barker, H.M., Brewis, N.D., Street, A.J., Spurr, N.K. and Cohen, P.T.W.
 Three genes for protein phosphatase 1 map to different human chromosomes: sequence, expression and gene localisation of protein serine/threonine phosphatase 1 beta (PPP1CB) (1220) 212
 Beck, L., see Nicollier, M. (1220) 125
 Blusztajn, J.K., see Lavie, Y. (1220) 323
 Borle, A.B., see Gasbarrini, A. (1220) 277
 Brake, B., see Thomas, S. (1220) 219
 Brandelli, A., Miranda, P.V. and Tezon, J.G.
 Participation of glycosylated residues in the human sperm acrosome reaction: possible role of *N*-acetylglucosaminidase (1220) 299
 Brewis, N.D., see Barker, H.M. (1220) 212
 Brown, B.L., see Virdee, K. (1220) 171
 Buckenham, A.J., see Allard, J. (1220) 66
 Buczko, E., see Hu, Z.-Z. (1220) 333
 Buday, L., see Farkas, G. (1220) 315
 Bussolati, O., see Dall'Asta, V. (1220) 139
 Butta, N., see Urcelay, E. (1220) 49

Caraceni, P., see Gasbarrini, A. (1220) 277
 Chang, G.-D., see Huang, C.-J. (1220) 223
 Chiu, I.-M., see Poulin, M.L. (1220) 209
 Clark, S., see Dunlop, M. (1220) 43
 Cohen, P.T.W., see Barker, H.M. (1220) 212
 Coosemans, V., see Nicollier, M. (1220) 125
 Cragoe Jr., E.J., see Kuwahara, M. (1220) 132
 Csermely, P., see Farkas, G. (1220) 315

Dall'Asta, V., Rossi, P.A., Bussolati, O. and Gazzola, G.C.
 Regulatory volume decrease of cultured human fibroblasts involves changes in intracellular amino-acid pool (1220) 139
 Dallery, N., see Sablonniere, B. (1220) 85
 Dana, R., see Levy, R. (1220) 253
 Danze, P.-M., see Sablonniere, B. (1220) 85
 Dautrevaux, M., see Sablonniere, B. (1220) 85
 Dobson, P.R.M., see Virdee, K. (1220) 171
 Dufau, M.L., see Hu, Z.-Z. (1220) 333
 Dunlop, M. and Clark, S.
 Activation of phospholipase D in CHO cells transfected with the human epidermal growth factor (EGF) receptor: differential effects of protein kinase C activation and EGF (1220) 43

Emly, J.F., Hughes, S., Green, E. and Ratcliffe, W.A.
 Expression and secretion of parathyroid hormone-related protein by a human cancer cell line (1220) 193

Faragó, A., see Farkas, G. (1220) 315
 Farghali, H., see Gasbarrini, A. (1220) 277
 Farkas, G., Buday, L., Csermely, P. and Faragó, A.
 Lipocortin I is not accessible for protein kinase C bound to the cytoplasmic surface of the plasma membrane in streptolysin-O-permeabilized pig granulocytes (1220) 315
 Firsov, D.L. and Parnova, R.G.
 The effect of arachidonic acid on the hydroosmotic action of vasopressin in frog urinary bladder (1220) 305
 Formstecher, P., see Sablonniere, B. (1220) 85
 Fournier, B., Guérineau, N., Mollard, P. and Girardie, J.
 Effects of two neuronal antidiuretic molecules, neuropepsin and 5-hydroxytryptamine, on cytosolic free calcium monitored with indo-1 in epithelial and muscular cells of the African locust rectum (1220) 181

Gardner, J.D., see Metz, D.C. (1220) 199
 Gasbarrini, A., Caraceni, P., Farghali, H., Van Thiel, D.H. and Borle, A.B.
 Effects of high and low pH on Ca^{2+} and on cell injury evoked by anoxia in perfused rat hepatocytes (1220) 277
 Gazzola, G.C., see Dall'Asta, V. (1220) 139
 Girardie, J., see Fournier, B. (1220) 181
 Green, E., see Emly, J.F. (1220) 193
 Greenwood, M.R., see Allard, J. (1220) 66
 Guérineau, N., see Fournier, B. (1220) 181

Hanukoglu, I., see Raikhinstein, M. (1220) 329
 Harada, H., Morita, M. and Suketa, Y.
 K^+ ionophores inhibit nerve growth factor-induced neuronal differentiation in rat adrenal pheochromocytoma PC12 cells (1220) 310
 Hashimoto, C., Ayaki, M. and Inui, Y.
 Isolation and characterization of a growth inhibitory factor from hamster liver (1220) 107
 Hashimoto, Y., Watanabe, T., Kinoshita, M., Tsukamoto, K., Togo, M., Horie, Y., Matsuda, Y. and Kurokawa, K.
 Ca^{2+} entry pathways activated by the tumor promoter thapsigargin in human platelets (1220) 37
 Hawthorne, J.N., see Allard, J. (1220) 66
 Hillard, C.J. and Auchampach, J.A.
 In vitro activation of brain protein kinase C by the cannabinoids (1220) 163
 Hirst, B.H., see McEwan, G.T.A. (1220) 241
 Horie, Y., see Hashimoto, Y. (1220) 37
 Hosono, T., see Takahashi, S. (1220) 57
 Hu, Z.-Z., Buczko, E., Zhuang, L. and Dufau, M.L.
 Sequence of the 3'-noncoding region of the luteinizing hormone receptor gene and identification of two polyadenylation domains that generate the major mRNA forms (1220) 333
 Huang, C.-J., Lee, M.-S., Chang, G.-D., Huang, F.-L. and Lo, T.-B.
 Molecular cloning and sequencing of a carp cDNA encoding mitogen-activated protein kinase kinase (1220) 223

Author Index

Accili, D., see Levy-Toledano, R. (1220) 1
 Adessi, G.L., see Nicollier, M. (1220) 125
 Allard, J., Lennon, D.P.W., Greenwood, M.R., Buckenham, A.J. and Hawthorne, J.N.
 Reduced sodium pump activity in inositol-deficient HL-60 cells: no evidence of control by protein kinase C (1220) 66
 Anel, A., see Uriel, J. (1220) 231
 Arias-Salgado, M.J., see Urcelay, E. (1220) 49
 Auchampach, J.A., see Hillard, C.J. (1220) 163
 Ayaki, M., see Hashimoto, C. (1220) 107
 Ayuso, M.S., see Urcelay, E. (1220) 49

Banting, G., see Thomas, S. (1220) 219
 Barisas, B.G., see Kenny, N. (1220) 94
 Barker, H.M., Brewis, N.D., Street, A.J., Spurr, N.K. and Cohen, P.T.W.
 Three genes for protein phosphatase 1 map to different human chromosomes: sequence, expression and gene localisation of protein serine/threonine phosphatase 1 beta (PPP1CB) (1220) 212
 Beck, L., see Nicollier, M. (1220) 125
 Blusztajn, J.K., see Lavie, Y. (1220) 323
 Borle, A.B., see Gasbarrini, A. (1220) 277
 Brake, B., see Thomas, S. (1220) 219
 Brandelli, A., Miranda, P.V. and Tezon, J.G.
 Participation of glycosylated residues in the human sperm acrosome reaction: possible role of *N*-acetylglucosaminidase (1220) 299
 Brewis, N.D., see Barker, H.M. (1220) 212
 Brown, B.L., see Virdee, K. (1220) 171
 Buckenham, A.J., see Allard, J. (1220) 66
 Buczko, E., see Hu, Z.-Z. (1220) 333
 Buday, L., see Farkas, G. (1220) 315
 Bussolati, O., see Dall'Asta, V. (1220) 139
 Butta, N., see Urcelay, E. (1220) 49

Caraceni, P., see Gasbarrini, A. (1220) 277
 Chang, G.-D., see Huang, C.-J. (1220) 223
 Chiu, I.-M., see Poulin, M.L. (1220) 209
 Clark, S., see Dunlop, M. (1220) 43
 Cohen, P.T.W., see Barker, H.M. (1220) 212
 Coosemans, V., see Nicollier, M. (1220) 125
 Cragoe Jr., E.J., see Kuwahara, M. (1220) 132
 Csermely, P., see Farkas, G. (1220) 315

Dall'Asta, V., Rossi, P.A., Bussolati, O. and Gazzola, G.C.
 Regulatory volume decrease of cultured human fibroblasts involves changes in intracellular amino-acid pool (1220) 139
 Dallery, N., see Sablonniere, B. (1220) 85
 Dana, R., see Levy, R. (1220) 253
 Danze, P.-M., see Sablonniere, B. (1220) 85
 Dautrevaux, M., see Sablonniere, B. (1220) 85
 Dobson, P.R.M., see Virdee, K. (1220) 171
 Dufau, M.L., see Hu, Z.-Z. (1220) 333
 Dunlop, M. and Clark, S.
 Activation of phospholipase D in CHO cells transfected with the human epidermal growth factor (EGF) receptor: differential effects of protein kinase C activation and EGF (1220) 43

Emly, J.F., Hughes, S., Green, E. and Ratcliffe, W.A.
 Expression and secretion of parathyroid hormone-related protein by a human cancer cell line (1220) 193

Faragó, A., see Farkas, G. (1220) 315
 Farghali, H., see Gasbarrini, A. (1220) 277
 Farkas, G., Buday, L., Csermely, P. and Faragó, A.
 Lipocortin I is not accessible for protein kinase C bound to the cytoplasmic surface of the plasma membrane in streptolysin-O-permeabilized pig granulocytes (1220) 315
 Firsov, D.L. and Parnova, R.G.
 The effect of arachidonic acid on the hydroosmotic action of vasopressin in frog urinary bladder (1220) 305
 Formstecher, P., see Sablonniere, B. (1220) 85
 Fournier, B., Guérineau, N., Mollard, P. and Girardie, J.
 Effects of two neuronal antidiuretic molecules, neuropepsin and 5-hydroxytryptamine, on cytosolic free calcium monitored with indo-1 in epithelial and muscular cells of the African locust rectum (1220) 181

Gardner, J.D., see Metz, D.C. (1220) 199
 Gasbarrini, A., Caraceni, P., Farghali, H., Van Thiel, D.H. and Borle, A.B.
 Effects of high and low pH on Ca^{2+} and on cell injury evoked by anoxia in perfused rat hepatocytes (1220) 277
 Gazzola, G.C., see Dall'Asta, V. (1220) 139
 Girardie, J., see Fournier, B. (1220) 181
 Green, E., see Emly, J.F. (1220) 193
 Greenwood, M.R., see Allard, J. (1220) 66
 Guérineau, N., see Fournier, B. (1220) 181

Hanukoglu, I., see Raikhinstein, M. (1220) 329
 Harada, H., Morita, M. and Suketa, Y.
 K^+ ionophores inhibit nerve growth factor-induced neuronal differentiation in rat adrenal pheochromocytoma PC12 cells (1220) 310
 Hashimoto, C., Ayaki, M. and Inui, Y.
 Isolation and characterization of a growth inhibitory factor from hamster liver (1220) 107
 Hashimoto, Y., Watanabe, T., Kinoshita, M., Tsukamoto, K., Togo, M., Horie, Y., Matsuda, Y. and Kurokawa, K.
 Ca^{2+} entry pathways activated by the tumor promoter thapsigargin in human platelets (1220) 37
 Hawthorne, J.N., see Allard, J. (1220) 66
 Hillard, C.J. and Auchampach, J.A.
 In vitro activation of brain protein kinase C by the cannabinoids (1220) 163
 Hirst, B.H., see McEwan, G.T.A. (1220) 241
 Horie, Y., see Hashimoto, Y. (1220) 37
 Hosono, T., see Takahashi, S. (1220) 57
 Hu, Z.-Z., Buczko, E., Zhuang, L. and Dufau, M.L.
 Sequence of the 3'-noncoding region of the luteinizing hormone receptor gene and identification of two polyadenylation domains that generate the major mRNA forms (1220) 333
 Huang, C.-J., Lee, M.-S., Chang, G.-D., Huang, F.-L. and Lo, T.-B.
 Molecular cloning and sequencing of a carp cDNA encoding mitogen-activated protein kinase kinase (1220) 223

Huang, F.-L., see Huang, C.-J. (1220) 223
 Hublau, P., see Sablonniere, B. (1220) 85
 Hughes, S., see Emly, J.F. (1220) 193
 Hunter, R.D., see Pye, D.A. (1220) 266

Inoue, T., see Matsuura, T. (1220) 31
 Inui, Y., see Hashimoto, C. (1220) 107
 Ishibashi, T., see Nishihira, J. (1220) 286
 Ito, A., see Takahashi, S. (1220) 57

Jensen, R.T., see Metz, D.C. (1220) 199
 Johnson, M.S., see Simpson, J. (1220) 69

Kakinuma, K., see Mizunari, H. (1220) 21
 Kanayama, Y., see Matsuura, T. (1220) 31
 Kenny, N., Rahman, N.A., Barisas, B.G. and Roess, D.A.
 Class I major histocompatibility complex antigens are not associated with the LH/CG receptor on ovine luteal cells (1220) 94

Kinoshita, M., see Hashimoto, Y. (1220) 37
 Kumar, S., see Pye, D.A. (1220) 266
 Kuratsui, T., see Mizunari, H. (1220) 21
 Kurokawa, K., see Hashimoto, Y. (1220) 37
 Kuwahara, M., Sasaki, S., Uchida, S., Cragoe Jr., E.J. and Marumo, F.
 Different development of apical and basolateral Na-H exchangers in LLC-PK₁ renal epithelial cells: characterization by inhibitors and antisense oligonucleotide (1220) 132

Lavie, Y., Blusztajn, J.K. and Liscovitch, M.
 Formation of endogenous free sphingoid bases in cells induced by changing medium conditions (1220) 323

Lebrun, P., see Meuris, S. (1220) 101
 Lee, M.-S., see Huang, C.-J. (1220) 223
 Lennon, D.P.W., see Allard, J. (1220) 66
 Leto, T.L., see Levy, R. (1220) 253
 Leto, T.L., see Levy, R. (1220) 261
 Levy, R., Dana, R., Leto, T.L. and Malech, H.L.
 The requirement of p47 phosphorylation for activation of NADPH oxidase by opsonized zymosan in human neutrophils (1220) 253
 Levy, R., Nagauker, O., Sikuler, E., Leto, T.L. and Schlaeger, F.
 Elevated NADPH-oxidase activity in neutrophils from bile-duct-ligated rats: changes in the kinetic parameters and in the oxidase cytosolic factor p47 (1220) 261

Levy-Toledano, R., Accili, D. and Taylor, S.I.
 Deletion of C-terminal 113 amino acids impairs processing and internalization of human insulin receptor: comparison of receptors expressed in CHO and NIH-3T3 cells (1220) 1

Liscovitch, M., see Lavie, Y. (1220) 323
 Lo, T.-B., see Huang, C.-J. (1220) 223
 Lucacchini, A., see Mazzoni, M.R. (1220) 76
 Luzio, J.P., see Thomas, S. (1220) 219

Mahfoudi, A., see Nicollier, M. (1220) 125
 Malech, H.L., see Levy, R. (1220) 253
 Martini, C., see Mazzoni, M.R. (1220) 76
 Marumo, F., see Kuwahara, M. (1220) 132
 Matsuda, Y., see Hashimoto, Y. (1220) 37
 Matsumoto, K., see Okazaki, H. (1220) 291
 Matsuura, T., Kanayama, Y., Inoue, T., Takeda, T. and Morishima, I.
 cAMP-induced changes of intracellular free Mg²⁺ levels in human erythrocytes (1220) 31

Mazzoni, M.R., Martini, C. and Lucacchini, A.
 Regulation of agonist binding to A_{2A} adenosine receptors: effects of guanine nucleotides (GDP[S] and GTP[S]) and Mg²⁺ ion (1220) 76

McEwan, G.T.A., Hirst, B.H. and Simmons, N.L.

Carbachol stimulates Cl⁻ secretion via activation of two distinct apical Cl⁻ pathways in cultured human T₈₄ intestinal epithelial monolayers (1220) 241

Melnick, R.L., see Tomaszewski, K.E. (1220) 118
 Metz, D.C., Pradhan, T.K., Mroznik Jr., J.E., Jensen, R.T., Turner, R.J., Patto, R.J. and Gardner, J.D.
 Effect of inhibition of microsomal Ca²⁺-ATPase on cytoplasmic calcium and enzyme secretion in pancreatic acini (1220) 199

Meuris, S., Poliotti, B., Robyn, C. and Lebrun, P.
 Ca²⁺ entry through L-type voltage-sensitive Ca²⁺ channels stimulates the release of human chorionic gonadotrophin and placental lactogen by placental explants (1220) 101

Middelkoop, E., Wiemer, E.A.C., Schoenmaker, D.E.T., Strijland, A. and Tager, J.M.
 Topology of catalase assembly in human skin fibroblasts (1220) 15

Miranda, P.V., see Brandelli, A. (1220) 299

Mitchell, R., see Simpson, J. (1220) 69

Mizunari, H., Kakinuma, K., Suzuki, K., Namiki, H., Kuratsui, T. and Tsunawaki, S.
 Nucleoside-triphosphate binding of the two cytosolic components of the respiratory burst oxidase system: evidence for its inhibition by the 2',3'-dialdehyde derivative of NADPH and desensitization in their translocated states (1220) 21

Millard, P., see Fournier, B. (1220) 181

Mori, Y., see Takahashi, S. (1220) 57

Morishima, I., see Matsuura, T. (1220) 31

Morita, M., see Harada, H. (1220) 310

Mroznik Jr., J.E., see Metz, D.C. (1220) 199

Nagase, H., see Takahashi, S. (1220) 57

Nagauker, O., see Levy, R. (1220) 261

Nakamura, M., see Nishihira, J. (1220) 286

Nakamura, T., see Okazaki, H. (1220) 291

Namiki, H., see Mizunari, H. (1220) 21

Nicollier, M., Beck, L., Mahfoudi, A., Coosemans, V. and Adessi, G.L.
 Effect of progesterone on hydrophobic cell-associated proteoglycans bound to cholesterol sulfate in glandular epithelial cells of guinea-pig endometrium (1220) 125

Nishida, Y., see Takamatsu, Y. (1220) 188

Nishihira, J., Ishibashi, T., Takeichi, N., Sakamoto, W. and Nakamura, M.
 A role for oxygen radicals in rat monocytic leukemia cell differentiation under stimulation with platelet-activating factor (1220) 286

Ohsako, S., see Takamatsu, Y. (1220) 188

Ojima, Y., see Takahashi, S. (1220) 57

Okazaki, H., Matsumoto, K. and Nakamura, T.
 Partial purification and characterization of 'injurin-like' factor which stimulates production of hepatocyte growth factor (1220) 291

Parnova, R.G., see Firsov, D.L. (1220) 305

Parrilla, R., see Urcelay, E. (1220) 49

Patton, R.J., see Metz, D.C. (1220) 199

Poliotti, B., see Meuris, S. (1220) 101

Poulin, M.L. and Chiu, I.-M.
 Nucleotide sequences of two newt (*Notophthalmus viridescens*) fibroblast growth factor receptor-2 variants (1220) 209

Pradhan, T.K., see Metz, D.C. (1220) 199

Proud, C.G., see Redpath, N.T. (1220) 147

Pye, D.A., Kumar, S., Wang, M.J. and Hunter, R.D.
 Irradiation of bovine aortic endothelial cells enhances the synthesis and secretion of sulphated glycosaminoglycans (1220) 266

Rahman, N.A., see Kenny, N. (1220) 94

Raihinstein, M., Zohar, M. and Hanukoglu, I.

cDNA cloning and sequence analysis of the bovine adrenocorticotrophic hormone (ACTH) receptor (1220) 329

Ratcliffe, W.A., see Emly, J.F. (1220) 193

Redpath, N.T. and Proud, C.G.
Molecular mechanisms in the control of translation by hormones and growth factors (1220) 147

Rohyn, C., see Meuris, S. (1220) 101

Roess, D.A., see Kenny, N. (1220) 94

Rossi, P.A., see Dall'Asta, V. (1220) 139

Sablonnier, B., Dallery, N., Danze, P.-M., Hublau, P., Formstecher, P. and Dautrevaux, M.
Hydrodynamic characterization and DNA-binding properties of the liganded and unliganded forms of the retinoic-acid receptor α from human HL-60 cells (1220) 85

Sakamoto, W., see Nishihira, J. (1220) 286

Sasaki, S., see Kuwahara, M. (1220) 132

Sato, T., see Takahashi, S. (1220) 57

Schlaeffer, F., see Levy, R. (1220) 261

Schoenmaker, D.E.T., see Middelkoop, E. (1220) 15

Sikuler, E., see Levy, R. (1220) 261

Simmons, N.L., see McEwan, G.T.A. (1220) 241

Simpson, J., Johnson, M.S. and Mitchell, R.
H7-resistant protein kinase C substrates in two-dimensional gels of proestrous rat anterior pituitary gland (1220) 69

Spurr, N.K., see Barker, H.M. (1220) 212

Stanley, K., see Thomas, S. (1220) 219

Street, A.J., see Barker, H.M. (1220) 212

Strijland, A., see Middelkoop, E. (1220) 15

Suketa, Y., see Harada, H. (1220) 310

Suzuki, K., see Mizunari, H. (1220) 21

Tager, J.M., see Middelkoop, E. (1220) 15

Takahashi, S., Sato, T., Ito, A., Ojima, Y., Hosono, T., Nagase, H. and Mori, Y.
Involvement of protein kinase C in the interleukin 1 α -induced gene expression of matrix metalloproteinases and tissue inhibitor-1 of metalloproteinases (TIMP-1) in human uterine cervical fibroblasts (1220) 57

Takamatsu, Y., Ohsako, S., Nishida, Y. and Yamauchi, T.
Identification of an alternative form of the *Drosophila* Ca^{2+} /calmodulin-dependent protein kinase II that is maternally derived (1220) 188

Takeda, T., see Matsuura, T. (1220) 31

Takeichi, N., see Nishihira, J. (1220) 286

Taylor, S.I., see Levy-Toledano, R. (1220) 1

Tepel, M., Wischniowski, H. and Zidek, W.
Thapsigargin-induced $[\text{Ca}^{2+}]_i$ increase activates sodium influx in human platelets (1220) 248

Tezon, J.G., see Brandelli, A. (1220) 299

Thomas, S., Brake, B., Luzzio, J.P., Stanley, K. and Banting, G.
Isolation and sequence of a full length cDNA encoding a novel rat inositol 1,4,5-trisphosphate 3-kinase (1220) 219

Togo, M., see Hashimoto, Y. (1220) 37

Tomaszewski, K.E. and Melnick, R.L.
In vitro evidence for involvement of CoA thioesters in peroxisome proliferation and hypolipidaemia (1220) 118

Torres, J.-M., see Uriel, J. (1220) 231

Tsukamoto, K., see Hashimoto, Y. (1220) 37

Tsunawaki, S., see Mizunari, H. (1220) 21

Turner, R.J., see Metz, D.C. (1220) 199

Uchida, S., see Kuwahara, M. (1220) 132

Urcelay, E., Butta, N., Arias-Salgado, M.J., Ayuso, M.S. and Parrilla, R.
Characterization of the α_1 -adrenoceptor-mediated responses in perfused rat liver (1220) 49

Uriel, J., Torres, J.-M. and Anel, A.
Carrier-protein-mediated enhancement of fatty-acid binding and internalization in human T-lymphocytes (1220) 231

Van Thiel, D.H., see Gasbarrini, A. (1220) 277

Virdee, K., Brown, B.L. and Dobson, P.R.M.
Stimulation of arachidonic-acid release from Swiss 3T3 cells by recombinant basic fibroblast growth factor: independence from phosphoinositide turnover (1220) 171

Wang, M.J., see Pye, D.A. (1220) 266

Watanabe, T., see Hashimoto, Y. (1220) 37

Wiemer, E.A.C., see Middelkoop, E. (1220) 15

Wischniowski, H., see Tepel, M. (1220) 248

Yamauchi, T., see Takamatsu, Y. (1220) 188

Zhuang, L., see Hu, Z.-Z. (1220) 333

Zidek, W., see Tepel, M. (1220) 248

Zohar, M., see Raikhinstein, M. (1220) 329

